

*This document includes references to all published clinical efficacy studies done with plant stanol ester. Scientific articles listed in bullet points are papers that report supplemental data from the same clinical study as the numbered article above them. A link to a full text is provided if available. Otherwise, a link to an abstract is provided. Articles that are not available online are marked accordingly.*

## Clinical efficacy studies (in alphabetical order):

1. Algorta Pineda J, Chinchetru MJ, Aguirre J, Francisco S. [Hypocholesteremic effectiveness of a yogurt containing plant stanol esters]. In Spanish. *Rev Clin Esp* 2005; 205: 63-66.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/15766477>
2. Alhassan S, Reese KA, Mahurin J, Plaisance EP, Hilson BD, Garner JC, Wee SO, Grandjean PW. Blood lipid responses to plant stanol ester supplementation and aerobic exercise training. *Metabolism* 2006; 55: 541-549.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/16546486>
3. Andersson A, Karlstrom B, Mohsen R, Vessby B. Cholesterol-lowering effects of a stanol ester-containing low-fat margarine used in conjunction with a strict lipid-lowering diet. *Eur Heart J Suppl* 1999; 1: S80-S90.  
*Not available online.*
4. Athyros VG, Kakafika AI, Papageorgiou AA, Tziomalos K, Peletidou A, Vosikis C, Karagiannis A, Mikhailidis DP. Effect of a plant stanol ester-containing spread, placebo spread, or Mediterranean diet on estimated cardiovascular risk and lipid, inflammatory and haemostatic factors. *Nutr Metab Cardiovasc Dis* 2011; 21: 213-221.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/19939653>
5. Baumgartner S, Mensink RP, Husche C, Lütjohann D, Plat J. Effects of plant sterol- or stanol-enriched margarines on fasting plasma oxyphytosterol concentrations in healthy subjects. *Atherosclerosis* 2013; 227: 414-419.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/23375753>
  - Baumgartner S, Mensink RP, Hartog G, Bast A, Bekers O, Husche C, Lütjohann D, Plat J. Oxyphytosterol formation in humans; identification of high vs. low oxidizers. *Biochem Pharmacol* 2013; 86: 19-25.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/23500537>
  - Baumgartner S, Mensink RP, Konings M, Schött H-F, Friedrichs S, Husche C, Lütjohann D, Plat J. Postprandial plasma oxyphytosterol concentrations after consumption of plant sterol or stanol enriched mixed meals in healthy subjects. *Steroids* 2015; 99, Part B, 281–286.  
*Link to abstract:* <http://www.sciencedirect.com/science/article/pii/S0039128X15000379>
6. Blair SN, Capuzzi DM, Gottlieb SO, Nguyen T, Morgan JM, Cater NB. Incremental reduction of serum total cholesterol and low-density lipoprotein cholesterol with the addition of plant stanol ester-containing spread to statin therapy. *Am J Cardiol* 2000; 86: 46-52.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/10867091>

7. Buyuktuncer Z, Fisunoglu M, Guven GS, Unal S, Besler HT. The cholesterol lowering efficacy of plant stanol ester yoghurt in a Turkish population: a double-blind, placebo-controlled trial. *Lipids Health Dis* 2013; 12: 91.  
*Link to full text:* <http://www.lipidworld.com/content/12/1/91>
  - Demirel ZB, Fisunoglu M, Güven GS, Ünal S, Besler T. Effects of yoghurt with plant stanols on serum lipid profile in patients with mild to moderate hyperlipidemia [in Turkish]. *Beslenme Diyet Dergisi* 2013; 41: 35-41.  
*Not available online.*
8. Brüll F, De Smet E, Mensink RP, Vreugdenhil A, Kerksiek A, Lütjohann D, Wesseling G, Plat J. Dietary plant stanol ester consumption improves immune function in asthma patients: results of a randomized, double-blind clinical trial. *Am J Clin Nutr* 2016; 103: 444-453.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/26762374>
9. Castro Cabezas M, de Vries JH, van Oostrom AJ, Iestra J, van Staveren WA. Effects of a stanol-enriched diet on plasma cholesterol and triglycerides in patients treated with statins. *J Am Diet Assoc* 2006; 106: 1564-1569.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/17000189>
10. Cater NB, Garcia-Garcia AB, Vega GL, Grundy SM. Responsiveness of plasma lipids and lipoproteins to plant stanol esters. *Am J Cardiol* 2005; 96: 23D-28D.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/15992512>
11. Chaiyodsilp S, Chaiyodsilp P, Pureekul T, Srisawas R, Khunaphakdipong Y. A Prospective randomized trial for reduction of serum low density lipoprotein (LDL) with plant stanol ester mixed in coffee in a hypercholesterolemic thai population. *Bangkok Med J* 2013; 5: 9-12.  
*Link to full text:* <http://www.bangkokmedjournal.com/sites/default/files/fullpapers/TBMJ-Vol5-2.pdf>
12. De Smet E, Mensink RP, Lütjohann D, Plat J. Acute effects of plant stanol esters on postprandial metabolism and its relation with changes in serum lipids after chronic intake. *Eur J Clin Nutr* 2015; 69: 127-133.  
*Link to full text:* <http://www.nature.com/ejcn/journal/v69/n1/pdf/ejcn2014200a.pdf>
13. Gylling H, Hallikainen M, Nissinen MJ, Miettinen TA. The effect of very high daily plant stanol ester intake on serum lipids, carotenoids, and fat-soluble vitamins. *Clinical Nutrition* 2010; 29: 112-118.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/19709787>
  - Gylling H, Hallikainen M, Nissinen M, Simonen P, Miettinen TA. Very high plant stanol intake and serum plant stanols and non-cholesterol sterols. *Eur J Nutr* 2010; 49: 111-117.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/19774436>
14. Gylling H, Hallikainen M, Raitakari OT, Laakso M, Vartiainen E, Salo P, Korpelainen V, Sundvall J, Miettinen TA. Long-term consumption of plant stanol and sterol esters, vascular function and genetic regulation. *Br J Nutr* 2008; 101: 1688-1695.  
*Link to full text:* <http://dx.doi.org/10.1017/S0007114508116300>
15. Gylling H, Halonen J, Lindholm H, Konttinen J, Simonen P, Nissinen MJ, Savolainen A, Talvi A, Hallikainen M. The effects of plant stanol ester consumption on arterial stiffness and endothelial function in adults: a randomised controlled clinical trial. *BMC Cardiovasc Disord* 2013; 13: 50.  
*Link to full text:* <http://www.biomedcentral.com/1471-2261/13/50>
  - Hallikainen M, Halonen J, Konttinen J, Lindholm H, Simonen P, Nissinen MJ, Gylling H. Diet and cardiovascular health in asymptomatic normo- and mildly-to-moderately hypercholesterolemic participants – baseline data from the BLOOD FLOW intervention study. *Nutr Metab* 2013; 20: 62.  
*Link to full text:* <http://www.nutritionandmetabolism.com/content/10/1/62>
  - Simonen P, Stenman UH, Gylling H. Serum proprotein convertase subtilisin/kexin type 9 concentration is not increased by plant stanol ester consumption in normo- to moderately hypercholesterolemic non-obese subjects. The Blood Flow intervention study. *Clinical Science* 2015; 129: 439-446.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/25857271>

16. Gylling H, Miettinen TA. Serum cholesterol and cholesterol and lipoprotein metabolism in hypercholesterolaemic NIDDM patients before and during sitostanol ester-margarine treatment. *Diabetologia* 1994; 37: 773-780.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/7988779>
17. Gylling H, Miettinen TA. The effect of cholesterol absorption inhibition on low density lipoprotein cholesterol level. *Atherosclerosis* 1995; 117: 305-308.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/8801876>
18. Gylling H, Miettinen TA. Effects of inhibiting cholesterol absorption and synthesis on cholesterol and lipoprotein metabolism in hypercholesterolemic non-insulin-dependent diabetic men. *J Lipid Res* 1996; 37: 1776-1785.  
*Link to full text:* <http://www.jlr.org/content/37/8/1776.long>
19. Gylling H, Miettinen TA. Cholesterol reduction by different plant stanol mixtures and with variable fat intake. *Metabolism* 1999; 48: 575-580.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/10337856>
20. Gylling H, Miettinen TA. Baseline intestinal absorption and synthesis of cholesterol regulate its response to hypolipidaemic treatments in coronary patients. *Atherosclerosis* 2002; 160: 477-481.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/11849674>
21. Gylling H, Miettinen TA. LDL cholesterol lowering by bile acid malabsorption during inhibited synthesis and absorption of cholesterol in hypercholesterolemic coronary subjects. *Nutr Metab Cardiovasc Dis* 2002; 12: 19-23.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/12125225>
22. Gylling H, Radhakrishnan R, Miettinen TA. Reduction of serum cholesterol in postmenopausal women with previous myocardial infarction and cholesterol malabsorption induced by dietary sitostanol ester margarine: women and dietary sitostanol. *Circulation* 1997; 96: 4226-4231.  
*Link to full text:* <http://circ.ahajournals.org/content/96/12/4226.full>
  - Gylling H, Rajaratnam R, Vartiainen E, Puska P, Miettinen T. Changes in serum level and metabolism of cholesterol with plant stanol esters in postmenopausal women with and without coronary artery disease. *Menopause* 2006; 13: 286-293.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/16645542>
23. Gylling H, Siimes MA, Miettinen TA. Sitostanol ester margarine in dietary treatment of children with familial hypercholesterolemia. *J Lipid Res* 1995; 36: 1807-1812.  
*Link to full text:* <http://www.jlr.org/content/36/8/1807.full.pdf>
24. Hallikainen M, Kurl S, Laakso M, Miettinen TA, Gylling H. Plant stanol esters lower LDL cholesterol level in statin-treated subjects with type 1 diabetes by interfering the absorption and synthesis of cholesterol. *Atherosclerosis* 2011; 217: 473-478.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/21514589>
25. Hallikainen M, Lyyra-Laitinen T, Agren JJ, Pihlajamäki J, Rauramaa R, Miettinen TA, Gylling H. Endothelial function in hypercholesterolemic subjects: Effects of plant stanol and sterol esters. *Atherosclerosis* 2006; 188: 425-432.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/16386259>

26. Hallikainen M, Lyyra-Laitinen T, Laitinen T, Moilanen L, Miettinen TA, Gylling H. Effects of plant stanol esters on serum cholesterol concentrations, relative markers of cholesterol metabolism and endothelial function in type 1 diabetes. *Atherosclerosis* 2008; 199: 432-439.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/18062976>
27. Hallikainen M, Olsson J, Gylling H. Low-fat nondairy minidrink containing plant stanol ester effectively reduces LDL cholesterol in subjects with mild to moderate hypercholesterolemia as part of a western diet. *Cholesterol* 2013; Article ID 192325.  
*Link to full text:* <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3787638/pdf/CHOL2013-192325.pdf>
28. Hallikainen M, Sarkkinen ES, Gylling H, Erkkilä AT, Uusitupa MI. Comparison of the effects of plant sterol ester and plant stanol ester-enriched margarines in lowering serum cholesterol concentrations in hypercholesterolaemic subjects on a low-fat diet. *Eur J Clin Nutr* 2000; 54: 715-725.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/11002384>
29. Hallikainen MA, Sarkkinen ES, Uusitupa MIJ. Plant stanol esters affect serum cholesterol concentrations of hypercholesterolemic men and women in a dose-dependent manner. *J Nutr* 2000; 130: 767-776.  
*Link to full text:* <http://jn.nutrition.org/content/130/4/767.full.pdf+html>
30. Hallikainen M, Sarkkinen E, Wester I, Uusitupa M. Short-term LDL cholesterol-lowering efficacy of plant stanol esters. *BMC Cardiovasc Disord* 2002; 2: 14.  
*Link to full text:* <http://www.biomedcentral.com/1471-2261/2/14>
31. Hallikainen MA, Uusitupa MI. Effects of 2 low-fat stanol ester-containing margarines on serum cholesterol concentrations as part of a low-fat diet in hypercholesterolemic subjects. *Am J Clin Nutr* 1999; 69: 403-410.  
*Link to full text:* <http://ajcn.nutrition.org/content/69/3/403.full.pdf+html>
  - Hallikainen M, Sarkkinen ES, Uusitupa MI. Effects of low-fat stanol ester enriched margarines on concentrations of serum carotenoids in subjects with elevated serum cholesterol concentrations. *Eur J Clin Nutr* 1999; 53: 966-969.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/10602355>
32. Homma Y, Ishikawa T, Tateno M, Mitaniyama A, Sugano M. Cholesterol and apolipoprotein lowering effect of plant stanol ester in healthy Japanese men and women. A randomized, placebo controlled study. *J Jpn Soc Nutr Food Sci* 2000, 53:155-162.  
*Link to full text:* [https://www.istage.jst.go.jp/article/jsnfs1983/53/4/53\\_4\\_155/\\_pdf](https://www.istage.jst.go.jp/article/jsnfs1983/53/4/53_4_155/_pdf)
  - Homma Y, Ikeda I, Ishikawa T, Tateno M, Sugano M, Nakamura H. Decrease in plasma low-density lipoprotein cholesterol, apolipoprotein B, cholesteryl ester transfer protein, and oxidized low-density lipoprotein by plant stanol ester-containing spread: a randomized, placebo-controlled trial. *Nutrition* 2003; 19: 369-374.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/12679174>
  - Ishiwata K, Homma Y, Ishikawa T, Nakamura H, Handa S. Influence of apolipoprotein E phenotype on metabolism of lipids and apolipoproteins after plant stanol ester ingestion in Japanese subjects. *Nutrition* 2002; 18: 561-565.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/12093429>
33. Hyun JY, Kim OY, Kang JB, Lee JH, Jang Y, Liponkoski L, Salo P. Plant stanol esters in low-fat yogurt reduces total and low-density lipoprotein cholesterol and low-density lipoprotein oxidation in normocholesterolemic and mildly hypercholesterolemic subjects. *Nutrition Research* 2005; 25: 743-753.  
*Link to abstract:* <http://www.sciencedirect.com/science/article/pii/S0271531705001491>
34. Jakulj L, Vissers MN, Rodenburg J, Wiegman A, Trip MD, Kastelein JJP. Plant stanols do not restore endothelial function in prepubertal children with familial hypercholesterolemia despite reduction of low-density lipoprotein cholesterol levels. *J Pediatr* 2006; 148: 495-500.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/16647412>

35. Jauhiainen T, Salo P, Niittynen L, Poussa T, Korpela R. Effects of low-fat hard cheese enriched with plant stanol esters on serum lipids and apolipoprotein B in mildly hypercholesterolaemic subjects. *Eur J Clin Nutr* 2006; 60: 1253-1257.  
*Link to full text:* <http://www.nature.com/ejcn/journal/v60/n11/pdf/1602445a.pdf>
36. Jones PJ, Raeini-Sarjaz M, Ntanios FY, Vanstone CA, Feng JY, Parsons WE. Modulation of plasma lipid levels and cholesterol kinetics by phytosterol versus phytostanol esters. *J Lipid Res* 2000; 41: 697-705.  
*Link to full text:* <http://www.jlr.org/content/41/5/697.full.pdf+html>
- Raeini-Sarjaz M, Ntanios FY, Vanstone CA, Jones PJ. No changes in serum fat-soluble vitamin and carotenoid concentrations with the intake of plant sterol/stanol esters in the context of a controlled diet. *Metabolism* 2002; 51:652-656.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/11979401>
37. de Jong A, Plat J, Bast A, Godschalk RWL, Basu S, Mensink RP. Effects of plant sterol and stanol ester consumption on lipid metabolism, antioxidant status and markers of oxidative stress, endothelial function and low-grade inflammation in patients on current statin treatment. *Eur J Clin Nutr* 2008; 62: 263-273.  
*Link to full text:* <http://www.nature.com/ejcn/journal/v62/n2/pdf/1602733a.pdf>
- de Jong A, Plat J, Mensink RP. Plant sterol or stanol consumption does not affect erythrocyte osmotic fragility in patients on statin treatment. *Eur J Clin Nutr* 2006; 60: 985-990.  
*Link to full text:* <http://www.nature.com/ejcn/journal/v60/n8/pdf/1602409a.pdf>
38. de Jong A, Plat J, Lütjohann D, Mensink RP. Effects of long-term plant sterol or stanol ester consumption on lipid and lipoprotein metabolism in subjects on statin treatment. *Br J Nutr* 2008; 100: 937-941.  
*Link to full text:* <http://dx.doi.org/10.1017/S0007114508966113>  
*Link to corrigendum:* <http://dx.doi.org/10.1017/S0007114509990985>
- Berendschot TT, Plat J, de Jong A, Mensink RP. Long-term plant stanol and sterol ester-enriched functional food consumption, serum lutein/zeaxanthin concentration and macular pigment optical density. *Br J Nutr* 2009; 101: 1607-1610.  
*Link to full text:* <http://dx.doi.org/10.1017/S0007114508111448>
  - Kelly ER, Plat J, Mensink RP, Berendschot TTJM. Effects of long term plant sterol and -stanol consumption on the retinal vasculature: A randomized controlled trial in statin users. *Atherosclerosis* 2011; 214: 225-230.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/21122856>
  - Schiepers OJ, de Groot RHM, van Boxtel MPJ, Jolles J, de Jong A, Lütjohann D, Plat J, Mensink RP. Consuming functional foods enriched with plant sterol or stanol esters for 85 weeks does not affect neurocognitive functioning or mood in statin-treated hypercholesterolemic individuals. *J Nutr* 2009; 139: 1368-1373.  
*Link to full text:* <http://jn.nutrition.org/content/139/7/1368.full.pdf+html>
39. de Jong N, Zuur A, Wolfs MC, Wendel-Vos GC, van Raaij JM, Schuit AJ. Exposure and effectiveness of phytosterol-/stanol-enriched margarines. *Eur J Clin Nutr* 2007; 61: 1407-1415.  
*Link to full text:* <http://www.nature.com/ejcn/journal/v61/n12/pdf/1602660a.pdf>
40. Ketomäki AM, Gylling H, Antikainen M, Siimes MA, Miettinen TA. Red cell and plasma plant sterols are related during consumption of plant stanol and sterol ester spreads in children with hypercholesterolemia. *J Pediatr* 2003; 142: 524-531.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/12756385>
41. Ketomäki A, Gylling H, Miettinen TA. Effects of plant stanol and sterol esters on serum phytosterols in a family with familial hypercholesterolemia including a homozygous subject. *J Lab Clin Med* 2004; 143: 255-262.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/15085084>



42. Ketomäki A, Gylling H, Miettinen TA. Removal of intravenous Intralipid in patients with familial hypercholesterolemia during inhibition of cholesterol absorption and synthesis. *Clin Chim Acta* 2004; 344: 83-93.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/15149875>
43. Ketomäki A, Gylling H, Miettinen TA. Non-cholesterol sterols in serum, lipoproteins, and red cells in statin-treated FH subjects off and on plant stanol and sterol ester spreads. *Clin Chim Acta* 2005; 353: 75-86.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/15698593>
44. Kratz M, Kannenberg F, Gramenz E, Berning B, Trautwein G, Assmann G, Rust S. Similar serum plant sterol responses of human subjects heterozygous for a mutation causing sitosterolemia and controls to diets enriched in plant sterols or stanols. *Eur J Clin Nutr* 2007; 61: 896-905.  
*Link to full text:* <http://www.nature.com/ejcn/journal/v61/n7/pdf/1602598a.pdf>
45. Kriengsinyos W, Sumriddetatchajorn K, Yamborisut U. Reduction of LDL-cholesterol in mildly hypercholesterolemic Thais with plant stanol ester-fortified soy milk. *J Med Assoc Thai* 2011; 94: 1327-1336.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/22256472>
46. Kriengsinyos W, Wangtong A, Komindr S. Serum Cholesterol Reduction Efficacy of Biscuits with Added Plant Stanol Ester. *Cholesterol* 2015; 2015: 353164.  
*Link to full text:* <http://www.hindawi.com/journals/cholesterol/2015/353164/>
47. Lagström H, Helenius H, Salo P. Serum cholesterol-lowering efficacy of stanol ester incorporated in gelatin capsules. *Scand J Food Nutr* 2006; 50: 124-130.  
*Link to full text:* <http://www.foodandnutritionresearch.net/index.php/fnr/article/view/1591/0>
48. Laitinen K, Isolauri E, Kaipiainen L, Gylling H, Miettinen TA. Plant stanol ester spreads as components of a balanced diet for pregnant and breast-feeding women: evaluation of clinical safety. *Br J Nutr* 2008; 101: 1979-1804.  
*Link to full text:* <http://dx.doi.org/10.1017/S0007114508133608>
49. Mensink RP, Ebbing S, Lindhout M, Plat J, van Heugten MM. Effects of plant stanol esters supplied in low-fat yoghurt on serum lipids and lipoproteins, non-cholesterol sterols and fat soluble antioxidant concentrations. *Atherosclerosis* 2002; 160: 205-213.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/11755939>
50. Mensink RP, de Jong A, Lütjohann D, Haenen GRMM, Plat J. Plant stanols dose-dependently decrease LDL-cholesterol concentrations, but not cholesterol-standardized fat-soluble antioxidant concentrations, at intakes up to 9 g/d. *Am J Clin Nutr* 2010; 42: 24-33.  
*Link to full text:* <http://ajcn.nutrition.org/content/92/1/24.full.pdf+html>
51. Miettinen TA, Puska P, Gylling H, Vanhanen H, Vartiainen E. Reduction of serum cholesterol with sitostanol-ester margarine in a mildly hypercholesterolemic population. *N Engl J Med* 1995; 333:1308-1312.  
*Link to full text:* <http://www.nejm.org/doi/pdf/10.1056/NEJM199511163332002>
- Gylling H, Puska P, Vartiainen E, Miettinen TA. Retinol, Vitamin D, carotenes and alpha-tocopherol in serum of moderately hypercholesterolemic population consuming sitostanol ester margarine. *Atherosclerosis* 1999; 145: 279-285.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/10488954>
  - Gylling H, Puska P, Vartiainen E, Miettinen TA. Serum sterols during stanol ester feeding in a mildly hypercholesterolemic population. *J Lipid Res* 1999; 40: 593-600  
*Link to full text:* <http://www.jlr.org/content/40/4/593.full.pdf+html>

52. Miettinen TA, Vanhanen H. Dietary sitostanol related to absorption, synthesis and serum level of cholesterol in different apolipoprotein E phenotypes. *Atherosclerosis* 1994; 105: 217-226.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/8003098>
53. Miettinen TA, Vuoristo M, Nissinen M, Järvinen HJ, Gylling H. Serum, biliary, and fecal cholesterol and plant sterols in colectomized patients before and during consumption of stanol ester margarine. *Am J Clin Nutr* 2000; 71: 1095-1102.  
*Link to full text:* <http://ajcn.nutrition.org/content/71/5/1095.full.pdf+html>
54. Nguyen TT, Dale LC, von Bergmann K, Croghan IT. Cholesterol-lowering effect of stanol ester in a US population of mildly hypercholesterolemic men and women: a randomized controlled trial. *Mayo Clinic Proceedings*. Mayo Clinic 1999; 74: 1198-1206.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/10593347>
55. Niinikoski H, Viikari J, Palmu T. Cholesterol-lowering effect and sensory properties of sitostanol ester margarine in normocholesterolemic adults. *Scandinavian Journal of Nutrition/Naringsforskning* 1997; 41: 9-12.  
*Not available online.*
56. Nissinen MJ, Gylling H, Miettinen TA. Effects of plant stanol esters supplied in a fat free milieu by pastilles on cholesterol metabolism in colectomized human subjects. *Nutr Metab Cardiovasc Dis* 2006; 16: 426-435.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/16935701>
57. Noakes M, Clifton PM, Doornbos AM, Trautwein EA. Plant sterol ester-enriched milk and yoghurt effectively reduce serum cholesterol in modestly hypercholesterolemic subjects. *Eur J Nutr* 2005; 44: 214-222.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/15316827>
58. Noakes M, Clifton P, Ntanos F, Shrapnel W, Record I, McInerney J. An increase in dietary carotenoids when consuming plant sterols or stanols is effective in maintaining plasma carotenoid concentrations. *Am J Clin Nutr* 2002; 75: 79-86.  
*Link to full text:* <http://ajcn.nutrition.org/content/75/1/79.full.pdf+html>
59. O'Neill FH, Brynes A, Mandeno R, Rendell N, Taylor G, Seed M, Thompson GR. Comparison of the effects of dietary plant sterol and stanol esters on lipid metabolism. *Nutr Metab Cardiovasc Dis* 2004; 14: 133-142.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/15330272>
- O'Neill FH, Sanders TA, Thompson GR. Comparison of efficacy of plant stanol ester and sterol ester: short-term and longer-term studies. *Am J Cardiol* 2005; 96: 29-36.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/15992513>
60. Párraga-Martínez I, López-Torres-Hidalgo JD, Del Campo-Del Campo JM, Galdón-Blesa MP, Precioso-Yáñez JC, Rabanales-Sotos J, García-Reyes-Ramos M, Andrés-Pretel F, Navarro-Bravo B, Lloret-Callejo Á. Long-term effects of plant stanols on the lipid profile of patients with hypercholesterolemia. A randomized clinical trial. *Rev Esp Cardiol (Engl Ed)* 2015; 68: 665-671.  
*Link to full text:* [http://www.revespcardiol.org/en/linkresolver/long-term-effects-of-plant-stanols/S1885-5857\(14\)00415-0/](http://www.revespcardiol.org/en/linkresolver/long-term-effects-of-plant-stanols/S1885-5857(14)00415-0/)
61. Plat J, Brufau G, Dallinga-Thie GM, Dasselaaar M, Mensink RP. A plant stanol yoghurt drink alone or combined with a low-dose statin lowers serum triacylglycerol and non-HDL-cholesterol in metabolic syndrome patients. *J Nutr* 2009; 139: 1143-1149.  
*Link to full text:* <http://jn.nutrition.org/content/139/6/1143.full.pdf+html>
- Plat J, Mensink RP. Plant stanol esters lower serum triacylglycerol concentrations via a reduced hepatic VLDL-1 production. *Lipids* 2009; 44: 1149-1153.  
*Link to full text:*  
[http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2779439/pdf/11745\\_2009\\_Article\\_3361.pdf](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2779439/pdf/11745_2009_Article_3361.pdf)

62. Plat J, Mensink RP. Vegetable oil based versus wood based stanol ester mixtures: effects on serum lipids and hemostatic factors in non-hypercholesterolemic subjects. *Atherosclerosis* 2000; 148: 101-112.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/10580176>
- Plat J, Mensink RP. Effects of diets enriched with two different plant stanol ester mixtures on plasma ubiquinol-10 and fat-soluble antioxidant concentrations. *Metabolism* 2001; 50: 520-529.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/11319712>
  - Plat J, Mensink RP. Relationship of genetic variation in genes encoding apolipoprotein A-IV, scavenger receptor BI, HMG-CoA reductase, CETP and apolipoprotein E with cholesterol metabolism and the response to plant stanol ester consumption. *Eur J Clin Invest* 2002; 32:242-250.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/11952809>
63. Plat J, van Onselen EN, van Heugten MM, Mensink RP. Effects on serum lipids, lipoproteins and fat soluble antioxidant concentrations of consumption frequency of margarines and shortenings enriched with plant stanol esters. *Eur J Clin Nutr* 2000; 54: 671-677.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/11002377>
64. Raitakari OT, Salo P, Gylling H, Miettinen TA. Plant stanol ester consumption and arterial elasticity and endothelial function. *Br J Nutr* 2008; 100: 603-608.  
*Link to full text:* <http://dx.doi.org/10.1017/S0007114508922546>
65. Salo P, Kuusisto P. Cholesterol Lowering Effect of Plant Stanol Ester Yoghurt Drinks with Added Camelina Oil. *Cholesterol* 2016; 2016: 5349389.  
*Link to full text:* <http://www.hindawi.com/journals/cholesterol/2016/5349389/>
66. Salo P, Wester I. Low-fat formulations of plant stanols and sterols. *Am J Cardiol* 2005; 96: 51D-54D.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/15992517>
67. Seppo L, Jauhiainen T, Nevala R, Poussa T, Korpela R. Plant stanol esters in low-fat milk products lower serum total and LDL cholesterol. *Eur J Nutr* 2007; 46: 111-117.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/17225918>
68. Simonen P, Lommi J, Hallikainen M, Helske-Suihko S, Werkkala K, Kupari M, Kovanen PT, Gylling H. Dietary plant stanols or sterols neither accumulate in stenotic aortic valves nor influence their structure or inflammatory status. *Clin Nutr* 2015; 34: 1251-1257.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/25614126>
69. Stelmach-Mardas M, Walkowiak J, Zagrodzki P, Grygiel-Gorniak B, Przyslawski J. Lipid profile and non-cholesterol sterols in obese women's serum after supplementing with plant stanol ester. *Forsch Komplementmed* 2014; 21: 178-183.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/25060157>
70. Sutton D, Davey T, Venkatraman G, Hart K. Can a functional food exert a cholesterol lowering effect in renal transplant patients? *J Ren Care* 2009; 35: 42-47.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/19200277>
71. Tammi A, Rönnemaa T, Gylling H, Rask-Nissilä L, Viikari J, Tuominen J, Pulkki K, Simell O. Plant stanol ester margarine lowers serum total and low-density lipoprotein cholesterol concentrations of healthy children: the STRIP project. *Special Turku Coronary Risk Factors Intervention Project. J Pediatr* 2000; 136: 503-510.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/10753249>
- Tammi A, Rönnemaa T, Miettinen TA, Gylling H, Rask-Nissilä L, Viikari J, Tuominen J, Marniemi J, Simell O. Effects of gender, apolipoprotein E phenotype and cholesterol-lowering by plant stanol esters in children: The STRIP study. *Acta Paediatr* 2002; 91: 1155-1162.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/12463311>



72. Theuwissen E, Mensink RP. Simultaneous intake of beta-glucan and plant stanol esters affects lipid metabolism in slightly hypercholesterolemic subjects. *J Nutr* 2007; 137: 583-588.  
*Link to full text:* <http://jn.nutrition.org/content/137/3/583.full.pdf+html>
- Theuwissen E, Plat J, Mensink RP. Consumption of oat beta-glucan with or without plant stanols did not influence inflammatory markers in hypercholesterolemic subjects. *Mol Nutr Food Res* 2009; 53: 370-376.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/18979504>
73. Theuwissen E, Plat J, van der Kallen CJ, van Greevenbroek MM, Mensink RP. Plant stanol supplementation decreases serum triacylglycerols in subjects with overt hypertriglyceridemia. *Lipids* 2009; 44: 1131-1140.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/19904567>
74. Thuluva SC, Igel M, Giesa U, Lütjohann D, Sudhop T, von Bergmann K. Ratio of lathosterol to campesterol in serum predicts the cholesterol-lowering effect of sitostanol-supplemented margarine. *Int J Clin Pharmacol Ther* 2005; 43: 305-310.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/16035372>
75. Vanhanen H. Cholesterol malabsorption caused by sitostanol ester feeding and neomycin in pravastatin-treated hypercholesterolaemic patients. *Eur J Clin Pharmacol* 1994; 47: 169-176.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/7859805>
76. Vanhanen HT, Blomqvist S, Ehnholm C, Hyvönen M, Jauhiainen M, Torstila I, Miettinen TA. Serum cholesterol, cholesterol precursors, and plant sterols in hypercholesterolemic subjects with different apoE phenotypes during dietary sitostanol ester treatment. *J Lipid Res* 1993; 34: 1535-1544.  
*Link to full text:* <http://www.jlr.org/content/34/9/1535.full.pdf>
- Blomqvist SM, Jauhiainen M, van Tol A, Hyvönen M, Torstila I, Vanhanen HT, Miettinen TA, Ehnholm C. Effect of sitostanol ester on composition and size distribution of low and high-density lipoprotein. *Nutr Metab Cardiovasc Dis* 1993; 3: 158-164.  
*Not available online.*
77. Vanhanen HT, Kajander J, Lehtovirta H, Miettinen TA. Serum levels, absorption efficiency, faecal elimination and synthesis of cholesterol during increasing doses of dietary sitostanol esters in hypercholesterolaemic subjects. *Clin Sci* 1994; 87: 61-67.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/8062521>
78. Vásquez-Trespalcacios EM, Romero-Palacio J. Efficacy of yogurt drink with added plant stanol esters (Benecol®, Colanta) in reducing total and LDL cholesterol in subjects with moderate hypercholesterolemia: a randomized placebo-controlled crossover trial NCT01461798. *Lipids in Health and Dis* 2014, 13: 125.  
*Link to full text:* <http://www.lipidworld.com/content/13/1/125/abstract>
79. Vorlat A, Conraads VM, Vrints CJ. Regular use of margarine-containing stanol/sterol esters reduces total and low-density lipoprotein (LDL) cholesterol and allows reduction of statin therapy after cardiac transplantation: preliminary observations. *J Heart Lung Transplant* 2003; 22: 1059-1062.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/12957617>
80. Vuorio AF, Gylling H, Turtola H, Kontula K, Ketonen P, Miettinen TA. Stanol ester margarine alone and with simvastatin lowers serum cholesterol in families with familial hypercholesterolemia caused by the FH-North Karelia mutation. *Arterioscler Thromb Vasc Biol* 2000; 20: 500-506.  
*Link to full text:* <http://atvb.ahajournals.org/content/20/2/500.full.pdf+html>

81. Weststrate JA, Meijer GW. Plant sterol-enriched margarines and reduction of plasma total- and LDL-cholesterol concentrations in normocholesterolaemic and mildly hypercholesterolaemic subjects. *Eur J Clin Nutr* 1998; 52: 334-343.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/9630383>
82. Williams CL, Bollella MC, Strobino BA, Boccia L, Campanaro L. Lipid-lowering effects of a plant stanol ester spread in young children. *Eur Heart J Supplements* 1999; 1: S96-S103.  
*Not available online.*
  - Williams CL, Bollella MC, Strobino BA, Boccia L, Campanaro L. Plant stanol ester and bran fiber in childhood: effects on lipids, stool weight and stool frequency in preschool children. *J Am Coll Nutr* 1999; 18: 572-581.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/10613408>
83. Woodgate D, Chan CHM, Conquer JA. Cholesterol-lowering ability of a phytostanol softgel supplement in adults with mild to moderate hypercholesterolemia. *Lipids* 2006; 41: 127-132.  
*Link to abstract:* <http://www.ncbi.nlm.nih.gov/pubmed/17707978>